

Cold Drawer Metos Classic NT1600-BO2x2-MBO-BO2

Cold drawer with solid insulated work top. 7 drawers for bottles / cans / crates

- central lock
- overextending telescopic slides, can be removed for cleaning
- stainless steel construction with rounded topplate
- urethane foamed good insulation
- effective and removable compressor cassette
- easy to clean condenser
- temperature area: +3° - +10 °C with electronic thermostat
- hygienic rounded edges inside cabinet
- adjustable feet +20/-45 mm



Cold Drawer Metos Classic NT1600-BO2x2-MBO-BO2

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.309
Unit of volume	m3
Package volume	1.309 m3
Package length	163
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	163x70x110 cm
Net weight	150
Net weight	150 kg
Gross weight	150
Package weight	150 kg
Unit of weight	kg
Connection power kW	0.42
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	3
Protection rating (IP)	IP43
Type of the refrigerant	R290
Quantity of refrigerant g	85
Function	cold
Power range kW	0.42
Lighting	without lighting
Stowage	drawers

Cold Drawer Metos Classic NT1600-BO2x2-MBO-BO2

Defrosting

automatic