

Heated cupboard Metos Proff NTW-800-DRLW-TDRR

Counter with s/s worktop and 2 heated cupboards. Place for a total 8 x GN 1/1-100 containers

- Easily changeable gaskets
- Cupboard heated with servicefriendly heating cassette
- Stainless steel construction
- Top plate with rounded front
- Cabinet floor with rounded corners to help cleaning
- Thermostat for cupboard
- Cupboard temperature range: + 40° - +80 °C
- Adjustable feet, +20mm / -40mm

Accessories:

- Wheels instead of feet
- Uppershelves with lights / heating lamps
- Handout shelves



Heated cupboard Metos Proff NTW-800-DRLW-TDRR

Product capacity	800x650mm plane + 8 GN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.701
Unit of volume	m3
Package volume	0.701 m3
Package length	85
Package width	75
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x110 cm
Net weight	45
Net weight	45 kg
Gross weight	57
Package weight	57 kg
Unit of weight	kg
Connection power kW	0.3
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	1.3
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
Number of chambers	2
Power range kW	0.3

Heated cupboard Metos Proff NTW-800-DRLW-TDRR

Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No